
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



60.0



HARDY PERENNIALS AND ROCK PLANTS

WHOLESALE

HAMMONTON HARDY PLANT NURSERY

HAMMONTON NEW JERSEY

SPRING 1930

TERMS

Accounts are due in thirty days.

Orders from unknown correspondents, unaccompanied by cash or references will not be filled. If plants are required in a hurry, we suggest that cash and references be sent with first order. This will be promptly forwarded, and we will at once take up the question of shipping future orders on open account.

Prices in this catalogue include packing.

HARDY PERENNIALS AND ROCK PLANTS

	Per Doz.—	-Per 100
ACHILLEA		
filipendulina. A strong growing species with large, flat heads of yellow flowers. 3 ft. June-July.		10.00
Ptarmica Boule de Neige. Sprays of small, double white flowers. 12 to 18 inches. June-Sep-		
tember.	1.25	8.00
"The Pearl. A stronger growing variety than the foregoing, bearing larger flowers. 2 ft.		0,00
June-September.	1.25	8.00
rupestris. A compact, low growing alpine plant, forming cushions of attractive, green foliage, and bearing masses of snow-white flowers borne in dense umbels. 6 in. May-June.		12.00
·	2.00	12.00
tomentosa. A dwarf rock plant, forming neat cushions of foliage which are hidden during May and June by heads of bright yellow flowers.	1.50	10.00
AETHIONEMA (Lebanon Candytuft)		
iberideum. A very free flowering trailer for the rock garden. It has gray, glaucous leaves and the white flowers are produced in terminal clusters. April-May.		15.00
AGROSTEMMA		
coronaria. Bright crimson flowers and gray woolly foliage making a pleasing contrast. 2 ft.		
June-July.	1.25	8.00
" alba. A white variety of the preceding.	1.25	8.00
AJUGA		
genevensis. Short spikes of intense blue flowers. A		
good rock plant. 6 in. June.	2.00	12.00

	Per Doz.—	-Per 100
ALYSSUM		
argenteum. Large flat heads of golden yellow flowers borne on wiry stems. 1 ft. May-June.	1.50	10.00
montanum. A rare Alpine of compact though trailing habit; its dark green leaves are covered with white encrustations and each of its many stems terminates in a truss of bright yellow flowers in May and June.		20.00
saxatile compactum (Gold Dust) One of the most popular of spring flowering plants. Masses of yellow flowers in April and May.		8.00
ANCHUSA		
italica Dropmore Variety. Tall spikes of gentian- blue flowers, resembling giant forget-me-nots		
4 ft. June-July. myosotidiflora. A distinct species producing masses of	1.50	10.00
bright-blue, forget-me-not flowers in April and May. 1 ft.	2.50	15.00
ANDROSACE		
lanuguinosa. A Himalayan plant very rare in America. It is of a trailing habit and its stems are covered with silky leaves. The flowers are rose pink with yellow eyes and are borne in clusters at the termination of the stems. May September.	· }	15.00
ANEMONE		
Pulsatilla (Pasque Flower) Large cup shaped, bluish purple flowers, filled with golden anthers, borne singly on stems 1 ft. high. April-May. "alba. A white variety of the above.		10.00 12.00
ABITOTERBASE		
ANTHEMIS tinctoria Kelwayi. Our stock of this variety has beer raised from one plant selected from a large number of seedlings and is a great improvement on the plant usually offered under this name. Its bright yellow flowers are very large and are produced very freely on strong, straight stems. An excellent plant for cutting. 2½ ft	e - - - - -	
June-September.	1.25	8.00

	Per Doz	–Per 100
AQUILEGA (Columbine) An attractive and popular group of spring flowering plants which should be well represented in every collection of perennials. They are adapted for border or rock garden and their bright, various colored flowers are valuable for cutting.		
chrysantha. A tall and beautiful species bearing soft yellow flowers. 3 ft. May-June.	1.50	19.00
nivea grandiflora. Large pure white flowers. Strong grower. 2 ft. May-June.	1.25	8.00
Mrs. Scott Ellictt's Strain. This is probably the best strain of long spurred hybrids. The flowers are of rich and varied colors. 2-3 ft. May- June.		10.00
ARABIS		
alpina. (Rock Cress) A useful early spring flowering plant suitable for rock garden, border, or for spring bedding. 9 inches. April-May.		10.00
ARENARIA (Sandwort) laricifolia. White flowers freely borne on short, wiry stems. 6 inches. May-June.	2.00	12.00
montana. One of the best rock plants for trailing over a ledge. Cascades of glistening white flowers in May.		12.00
ARMERIA (Thrift, Sea Pink)		
Cephalotes. (Giant Thrift) Strong tufts of foliage and heads of silvery pink flowers borne on stout stems. Good for cutting. 1½ ft. May-June.		10.00
foliage entirely covered in May and June with globular heads of pink flowers. 6 inches.	1.50	10.00
ARTEMSIA lactiflora. Fragrant spirea-like plumes of creamy white flowers are borne on stout, erect stems		
from August to October. 5-6 ft.	1.25	8.00
ASCLEPIAS tubercea. Strong stems terminating in clusters of bright orange red flowers. 2½ ft. May-June.		10.00
ASPHODELINE (Asphodel) lutea. Grassy foliage and stately spikes of yellow, lily-like flowers. 3-4 ft. July-September.	2.00	12.00

		Per Doz	-Per 100
-	the aster has few rivals.		
of flowering and h	n color, size of flower, time eight, combined with simple		
-	nts, make it one of the most plants. Many of the varie-		
ties are excellent flowers and strong the plants are divid	gest spikes are obtained if		
	eliotrope flowers on strong,		
	September-October.	1.50	10.00
are profusely born	e flowers with yellow centers e on long straight stems.	1.50	10.00
4-5 ft. September		1.50	10.00
variety forms a rou	from all other asters, this and, compact cushion that is with delicate mauve flowers		
during October and		1.25	8.00
	ee flowering variety of grace- wers are large and of good September-October.		10.00
	white Aster; very large flow-		10.00
	ng. 3 ft. September-Octo-		10.00
on long straight ste	owers borne on loose sprays ems. They open pale mauve hite with age. 4 ft. Sep-		
tember.		1.50	10.00
during September t	forms a compact bush, and the foliage is entirely hidden k flowers. One of the best		
asters in cultivatio		1.25	8.00
-	pecies from Siberia. Large carried on tall, leafy stems.		
6 ft. November.		1.50	10.00
White Climax. A pure w	hite form of Climax.	1.50	10.00
ASTER, DWARF ALPINE			
alpinus. Large, bluish	purple flowers. 9 inches.	1.50	10.00
May-June.	wister of the femansises	1.50 1.50	10.00 10.00
	riety of the fore go ing. c-purple flowers freely borne		10.00
_	tems. 1 ft. June-July.	1.50	10.00

ALL DE LETTE AND A STATE OF THE	Per Doz.	-Per 100
AUBRIETIA deltoidea. A dwarf, free flowering rock plant with pale lavender flowers. 4 inches. April-May.		12.00
BAPTISIA		
australis. (False Indigo) A first rate border plant bearing sprays of dark indigo blue flowers, resembling lupines. When well established, this is a valuable plant for cutting. 3 ft. June-July.		8.00
BOCCONIA cordata. (Plume Poppy) A tall growing stately plant with handsome, gray, glaucous foliage, bear- ing panicles of creamy white flowers. 6-8 ft. July-August.		8.00
BOLTONIA		
asteroides. A tall aster-like plant of vigorous habit, more suitable for naturalizing than for the		
border. White flowers. 6 ft. September.	1.25	8.00
latisquama. Not so strong growing as the last. Pink flowers. 5-6 ft. September.	1.25	8.00
CALAMINTHA alpina. A prostrate rock plant producing a mass of violet-blue flowers borne in clusters. 6 in. July-August.		10.00
CAMPANULA (Bellflower) One of the most beautiful and important families of hardy plants. Having a very wide geographical distribution, its members are extremely varied in character and are adapted for rock garden, border and woodland.	;	
alliaraefolia. Handsome, heart shaped leaves and		
creamy white, pendulous flowers. 2½ ft. June. carpatica. Branching stems bearing cup-shaped, blue flowers, 1½ inches or more in diameter, 1 ft.	;	10.00
July-August.	1.50	10.00
carpatica alba. A white variety of the preceding.	1.50	10.00
carpatica pallida. A selected pale blue form.	2.00	12.00
lactiflora. Pale blue flowers. 2 ft. June-July.	1.50	10.00
Medium. (Canterbury Bell) Blue, pink, white; separate.	1.25	8.00
" Calycanthema. (Cup and Saucer) Mixed		0.00
colors.	1.25	8.00

	Per Doz.	-Per 100
CAMPANULA (Continued)		
Raddeana. A rare and distinct species bearing deep purple bells on thin wiry stems. 9 inches. June-July.		15.00
persicifolia. Slender, graceful stems studded with blue, cup shaped flowers in June and July.		
2½ ft."alba. A white variety of the preceding.	$\frac{1.50}{1.50}$	10.00 10.00
	1.50	10.00
CARYOPTERIS		
mastacanthus. (Blue Spirea) A compact, free flow- ering plant of sub-shrubby habit with attrac- tive gray foliage; it is covered during fall with trusses of lavender-purple flowers.	-	12.00
CENTAUREA		
macrocephala. A stately plant of robust habit, bearing large, globular heads of golden yellow	7	
flowers. 4-5 ft. July-August. montana. Woolly foliage and bright blue flowers	1.50	10.00
1½ ft. June-July.	1.50	10.00
" alba. A white variety of the last.	1.50	10.00
CERASTIUM		
tomentosum. Forms a carpet of silvery foliage which is covered in May with pure white flowers.	1.50	10.00
CHELONE		
Lyoni. A very free flowering plant bearing large deep pink Pentstemon-like flowers on sturdy erect stems. 2 ft. July-September.	,	8.00
CHRYSANTHEMUM		
Leucanthemum fl. pl. An uncommon plant bearing pure white, double flowers in June and July valuable for cutting. 1½-2 ft.		10.00
maximum. (Shasta Daisy) A useful plant for cut ting. The large, white daisy-like flowers are produced over a long period. 2 ft. June-Sep	e -	
tember.	1.25	8.00
COREOPSIS		
grandiflora. One of the best hardy plants for cut ting; bright yellow flowers are borne on long	g	
graceful stems throughout summer.	1.25	8.00

DELPHINIUM	Per Doz.	-Per 100
Belladonna. An invaluable plant for cutting; sky-like		
flowers in great profusion from June until frost. 2½-3 ft.	1.25	8.00
Bellamosum. Similar in habit and growth to the above, but having dark blue flowers.	1.25	8.00
formosum. Dark blue flowers with white centers; vigorous habit. 3-4 ft.	1.50	10.00
grandiflorum. (chinense) Gentian-blue flowers; finely divided foliage. 2 ft. June-September. "album. A white variety of the last.	1.25 1.25	8.00 8.00
Mixed Hybrids. Raised from seed saved from a first class strain.		12.00
DIANTHUS		
alpinus. A lovely dwarf Alpine with deep pink flowers close down to the foliage which they entirely hide in May and June. 4 inches.	2.50	15.00
arenarius. A desirable rock plant of compact, tufted habit. During May and June the foliage is entirely hidden by masses of deeply fringed, fragrant, white flowers borne on 6 inch stems.		10.00
deltoides. (Maiden Pink) A trailing, pink flowered rock plant, also useful for border edging. June-July.		10.00
" album. A white variety of the foregoing.	1.50	10.00
" Brilliant. A vivid crimson variety, the flowers are shown to great advantage against the dark green foliage.		10.00
neglectus. A choice and beautiful Alpine; bright carmine flowers with a buff reverse. 6 inches. May-June.		20.00
plumarius. A first rate mixture of fragrant, beautifully frilled flowers, varying in color from white to crimson. 1 ft. May-June.		8.00
DIELYTRA		
formosa. Dainty fern-like foliage and pendulous, lyre shaped flowers of a pleasing shade of pink. 1 ft. May-August.		10.00
DIGITALIS (Foxglove) One of the showiest and most attractive of old fashioned favorites whose popularity is continually increasing.	5	10.00
gloxinaeflora. Pink, purple, white; separate.	1.25	8.00

	Per Doz	-Per 100
DIGITALIS (Continued)		
gloxinaeflora, The Shirley. A new strain raised by the Rev. W. Wilks, the originator of the well known Shirley Poppies. The flowers are of enormous		
size and vary in color from pure white to deep-		
est rose.	1.25	8,00
ECHINACEA		
purpurea. A distinct plant of uncommon beauty.		
Large, pinkish-purple flowers having cone shaped, orange red centers are borne on strong, straight stems, 3 to 4 feet in height. July-August.		10.00
ECHINCPS (Globe Thistle) Vigorous and stately plants, attractive both in flower and foliage. The large, handsome leaves are spiny at the tips and are covered with silvery down.	!	
Ritro. Globular heads of glistening blue flowers. 4 1t. July-August.	1.50	10.00
sphaerocephalus. Heads of grayish white flowers. 4 ft. July-August.	1.50	10.00
ERIGERON		
speciosus. A free flowering and vigorous plant bearing medium sized, purplish-lilac flowers. Good for cutting. 2 ft. July-August.		10.00
ERINUS		
alpinus. A dwarf, dainty rock plant of tufted habit bearing pink flowers in May. 6 inches.	1.50	10.00
" albus. A white variety of the last.	1.50	10.00
ERYNGIUM (Sea Holly) planum. Small flower heads and steely blue stems. Good for cutting and drying. 2½ ft. July- August.		8.00
EUPATORIUM		
coelestinum. Very free flowering and one of the best hardy plants for cutting. Masses of blue, ageratum-like flowers from August to October.		
2 ft.	1.25	8.00
Fraseri. Feathery white flowers. 2 ft. July-September.	1.25	8.00

	Per Doz	-Per 100
EUPHORBIA (Spurge)		
corollata The value of this plant for cutting is not		
fully appreciated. It is well adapted for ship-		
ping and its small pure white flowers take the		
place of Gypsophila paniculata when that is		
past. Best results are obtained by allowing it		
to remain undisturbed for several years. $1\frac{1}{2}$		
to 2 ft. August-September.	1.25	8.00
FUNKIA		
undulata variegata. Creamy white and green varie-	•	
gated leaves.	1.50	10.00
GAILLARDIA		
grandiflora. Ranging in color from old gold to crim-		
son. For furnishing a continuous supply of cut		
flowers, this plant is unrivaled. 2 ft. June		0.00
September.	1.25	8.00
The Dazzler. A recent introduction, producing large		
bright golden yellow flowers with red maroon		
centers. Its strong, straight, erect stems make it a valuable variety for cutting.	2.00	12.00
, S	2.00	12.00
GERANIUM		
sanguineum. Forms a thick mass of prostrate stems		
and bears a profusion of saucer shaped, blood red flowers. 1 ft. June-August.	1.50	10.00
	1.50	10.00
GEUM		
Lady Stratheden. A new variety similar in habit and		
growth to the well known Geum Mrs. Bradshaw It bears large, old gold, double flowers. 2 ft		
May-June.	1.50	10.00
Mrs. Bradshaw. One of the most striking of hardy plants. Slender, branching stems are produced		
from tufts of evergreen foliage and bear large		
rich scarlet, double flowers in great profusion	•	
2 it. May-June.	1.50	10.00
GLOBULARIA (Globe Daisy)		
tricosantha. A low growing rock plant bearing glob	-	
ular heads of pale blue flowers arising from		
tufts of shiny green foliage. 6 inches. May		
June.	1.50	10.00

	Per Doz.—	-Per 100
GYPSOPHILA	_ •	
cerasticides. A choice rock plant forming a dense		
mat of foliage, thickly studded in spring with large, lilac flowers veined with pink. 3 inches.	2.50	15.00
Ehrlei. The most valuable hardy plant for cutting that has been introduced for many years. It is quite distinct from Gypsophila paniculata fl. pl. and flowers earlier than that variety. After the main crop of bloom is past, a continuous succession of flower spikes are produced until frost. Strong field-grown, grafted plants.	5.00	35.00
paniculata. Cloud-like masses of small white flowers.		
One of the most popular and useful plants for cutting. $2\frac{1}{2}$ ft. July.	1.25	8.00
repens. A dwarf trailer, excellent for cascading down		
the slopes of the rock garden. Masses of small white flowers. June-July.	1.50	10.00
repens monstrosa. A stronger growing and more erect variety of the preceding. Very useful for cut- ting. 1 ft. May-June.		12.00
HELENIUM. Strong growing plants, valuable for producing late summer effects in woodland or herbaceous border. Also useful as a cut flower.		
autumnale Riverton Gem. Rich mahogany-red flowers. "Gartensonne. A new variety having clear yel-		10.00
low flowers. 4 ft. August-September.	2.00	12. 00
" superbum. Yellow. 4 ft. August-September.		10.00
Hoopesii. Large heads of deep yellow flowers. 2 ft. June-July.	1.50	10.00
HELIANTHEMUM. (Rock or Sun Rose) Dwarf ever- green shrubs of spreading habit, which for freedom of flowering and brilliance of coloring are equalled by few and excelled by no other		÷
family of plants. Delighting in full sun, they will thrive on a sunny bank where few other plants will exist. Massed on the rock garden or front of herbaceous border, they are the most gorgeous sight in the garden during June.		10.10
Fireball. Brilliant scarlet. 9 inches.	2.00	12.00
arcanthum. Large creamy white. 6 inches.	2.00	12.00

HELIANTHEMUM (Continued)		
	Per Doz.—	-Per 100
Mrs. Earle. Double scarlet flowers. 9 inches. praecox. Large, soft yellow flowers. Silvery foliage.	2.00	12.00
9 inches.	2.00	12.00
rhodanthe carneum. Very large, clear pink flowers. silvery foliage. 9 inches.	2.00	12.00
Rose Queen. Large, single pink flowers. 9 inches.	2.00	12.00
HELIANTHUS		
mollis. Handsome foliage thinly covered with silvery down and large lemon yellow flowers. 5 ft. August-September.	1.50	10.00
HELIOPSIS		
Pitcheriana. Golden yellow flowers, throughout the		
summer. 3 ft.	1.25	8.00
HEMEROCALLIS		
Dr. Regel. Fragrant, orange-yellow, lily like flowers.		
1½ ft. May.	1.50	10.00
Thunbergi. Clear yellow flowers. 3 ft. July.	1.50	10.00
HERNIARIA		
glabra. A prostrate green carpeter which remains		
green throughout winter.	1.50	10.00
HESPERIS		
matronalis. Sweetly scented, purple flowers freely pro-		
duced during summer. 11/2 ft.	1.25	8.00
" albus. A white variety of the last.	1.25	8.00
HIBISCUS (Mallow)		
Marvel Mallows. Pink, red, white separate.	1.50	10.00
HYPERICUM		
olympicum. A rare rock plant, gray-foliage and very	7	
large, yellow flowers. 6 in. June-July.	2.50	15.0
,	2.00	10.0
IBERIS (Candytuft)		
sempervirens. An invaluable and popular spring flow		
ering plant of dwarf and compact habit, bear		
ing masses of snow white flowers produced in large trusses. 9 in. April-May.	1.25	8.0
iaige diusses. o in. April-may.	1.20	0.0

7	Per Doz.—	Per 100
INCARVILLEA	er Doz.—	-1 e1 100
Delavayi. A somewhat rare plant of exceptional merit. The flowers are tubular in shape, like those of Bignonia grandiflora; they are dainty pink in color, the throat being streaked with purple. They are borne in clusters of six to		
twelve flowers on stout erect stems. July. Strong flowering roots.	2.00	12.00
INULA		
ensifolia. Forms a compact, symmetrical clump and in July is covered with bright yellow flowers. 1 ft.	1.50	10.00
IRIS		
cristata. A dwarf fairly-like plant with soft blue, orange striped flowers. Easily grown in a rather moist, partially shaded position. 4 in.		
May.	1.50	10.00
Japanese. Mixed.	1.50	10.00
pumila cyanea. Violet-purple. 9 in. May.	1.25	8.00
" The Bride. Pure white. 6 in. May.	1.25	8.00
sibirica. Graceful, slender, grass-like foliage and vio-		
let-blue flowers on long stems. An excellent plant for moist situations. 3 ft. May-June. "Snow Queen. Large, snow-white, well formed	1.25	8.00
flowers.	1.25	8.00
LATHYRUS (Perennial Sweet Pea)		
latifolius albus. A vigorous climber. White flowers.	1.50	10.00
" roseus. A pink variety.	1.50	10.00
LAVANDULA (Sweet Lavender)		
vera. A popular old-fashioned plant with fragrant blue flowerrs and foliage. 1½-2 ft. June-July.	2.00	12.00
vera Munstead Variety. A dwarf, compact form of the foregoing. Good for edging or the rock gar-		
den. 9 inches. May-June.	2.50	15.00
LEONTOPODIUM		
alpinum (Edelweiss) White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense, white woolly substance.		
6 in. May-June.	2.00	12.00
LIATRIS		
pycnostachya. Long slender stems with rosy purple		100-
flowers. 4-5 ft. July-August.	1.50	10.00

	Per Doz.	-Per 100
LINUM (Flax)		
perenne. A continuous succession of clouds of sap	-	
phire blue flowers throughout summer. 2 ft	. 1.25	8.00
" alba. A white variety of the above.	1.25	8.00
LOBELIA		
cardinalis. Vivid scarlet flowers borne on long, erec	t	
spikes. Prefers a moist situation. 3-4 ft	· ·•	
July-August.	1.50	10.00
LYCHNIS		
alpina. Compact cushions of rich green leaves stud	_	
ded in April and May with heads of pin		
flowers.	1.50	10.00
chalcedonica. (Jerusalem Cross) Stout leafy stem	s	20000
bearing large, flat heads of bright scarlet flow		
ers. 2-3 ft. July-August.	1.25	8.00
" alba. A white variety of the above.	1.25	8.00
diada il mino varioty di dio disorei	2.20	0.00
LYSIMACHIA		
nummularia. A prostrate trailer, spangled during		
spring and early summer with large, clear yel		
low flowers.	1.25	8.00
LYTHRUM		
virgatum Rose Queen. A shapely bush formed o	f	
many slender stems which are thickly covere		
three quarters of their length with rosy pin		
flowers. 3-4 ft. July-September.	1.50	10.00
nowers. O'T' to out, september.	2.00	20.00
MAZUS		
rugosus. A prostrate grower forming a dense, gree		
carpet, studded in spring with large violet flow		
ers spotted with gold.	1.50	10.00
MERTENSIA		
virginica (Virginian Cowslip) One of the most beaut	i-	
ful of spring flowering plants. It forms large	<u>,</u>	
glaucous gray leaves and bears drooping clus	S-	
ters of clear blue flowers. 11/2 ft. May.	2.00	12.00
MONARDA		
didyma. (Bergamot) Bright red heads of flowers o		
3 ft. stems. The whole plant is fragran		0.00
June-August.	1.25	8.00
MYOSOTIS		
palustris semperflorens. The well known and popula		
Forget-me-not.	1.25	8.00

	Per Doz.—	-Per 100
Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.	1.50	10.00
OENOTHERA (Evening Primrose) missouriensis. A fine trailing plant with very large, pale yellow flowers, five or six inches in diam- eter. One of the best perennials for rock gar- den or border. June-September.	1.50	10.00
speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft.	1.50	10.00
ONOSMA		
stellulatum. A rare and beautiful plant for the rock garden. It forms an evergreen tuft of leaves and bears during May and June drooping amber-colored, drop shaped blossoms. It should be given a sunny, well drained position. 1 ft.	3.00	20.00
PARADANTHUS (Blackberry Lilly) chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.	1.25	8.00
PAPAVER		
alpinum. A dwarf, miniature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink	2.00	12.00
flowers. nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about	2.00	12.00
1 ft. in height. Good for cutting. May-August.	1.50	10.00
orientale. Large scarlet flowers. 3 ft. May-June.	1.50	10.00
orientale Olympicum. The only double form of the Oriental Poppy. Rich scarlet flowers. 2½ ft.	2.00	12.00
PENTSTEMON		
barabatus Torreyi. Graceful tapering stems covered with large, tubular, scarlet flowers. 4 ft.	1.50	10.00
June-August.	1.00	10.00
Digitalis. White tubular flowers with purple throat. Good for cutting. 2-3 ft. June-July.	1.50	10.00

	Per Doz.	-Per 100
PHLOX. One of the most important families of hardy		
perennials and one that should be well repre-	1	
sented in every collection. Phloxes are best		
suited by a deep, well manured soil and abun-		
dance of water.	, 104 20	
Albion. White with faint red eye. 2½ ft. Antonin Mercier. Soft lilac blue with white center.	1.25	8.00
2 ft.	1.25	8.00
Bacchante. Fiery pink with crimson eye. 21/2 ft.	1.25	8.00
B. Comte. Brilliant French purple. 1½ ft.	1.25	8.00
Baron van Dedem. Glowing crimson. 2 ft.	1.25	8.00
Enchantress. Salmon pink. 2 ft.	1.50	10.00
Europa. White with carmine eye. 2½ ft.	1.25	8.00
La Vogue. Pinkish mauve. 2½ ft.	1.25	8.00
Mrs. Jenkins Pure white; large trusses. 2½ ft.	1.25	8.00
Rijnstroom. Rose-pink, very large individual flowers.		
2 ½ ft.	1.50	10.00
Rosenberg. Carmine violet with reddish eye. 2 ft.	1.25	8.00
R. P. Struthers. Rosy red with crimson eye. 2 ft.	1.25	8.00
suffruticosa Miss Lingard. A good variety for cutting; pyramidal trusses of white flowers with faint		
lilac eye. 2½ ft. June-September.	1.25	8.00
Thor. Very large trusses of dazzling pink flowers. 1/2 ft.	1.25	8. 0 0
W. C. Egan. Large pink flowers. 2½ ft.	1.25	8.00
Widar. Reddish-violet flowers with white centers.	1.20	0.00
2½ ft.	1.25	8.00
PHLOX, Dwarf varieties		
amoena. Compact glossy green foliage and masses of vivid pink flowers in April and May. 9 in.	1.50	10.00
divaricata. Trusses of large, fragrant, lavender-blue flowers. 9 in. May.	1.50	10.00
subluata alba. (Moss Pink) Moss-like foliage covered in April and May with sheets of white flowers.		
6 in.	1.25	8.00
" atrolilacina. Masses of deep lilac flowers en- tirely cover the plants during April and May. The flowers of this plant are the nearest ap-		

PHLOX	(Continued		
		Per Doz.—	-Per 100
	proach to blue of any variety of this type of Phlox.	2.00	12.00
**	G. F. Wilson. One of the best and most flor- iferous of spring flowering plants. Mats of glossy foliage completely hidden by sheets of		
	starry, lavender flowers in April and May. 6 in.	2.00	12.00
46	lilacina. A lilac variety.	1.25	8.00
44	rosea. A pink variety.	1.25	8.00
PHYSAL	LIS (Winter Cherry)		
Francl	hetti. Bright orange bladder-like calyces en- closing a cherry-like fruit. Valuable for drying for winter decoration. 2 ft. October.	1.25	8.00
		1.20	0.00
PHYSOS virgini	ana. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July-		
	August.	1.25	8.00
"	alba. A white variety of the foregoing.	1.25	8.00
"	grandiflora. A plant of recent introduction and a most valuable acquistion. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large, brilliant pink flowers, somewhat resembling a snapdragon in shape. The value of this plant is enhanced by its being an addition to the very few dwarf late flowering plants. August-September.	1.25	8.00
PINK, H	ard. A highly popular group of old fashioned garden plants, esteemed for their extreme florife ous and delicious fragrance. 12 to 15	1.20	0.00
	incres. May-June.	1.25	8.00
Excels	ior. Delicate rose pink.	1.25	8.00
Her M	laje ty. Pure white; large flowers.	2.00	12.00
Homer	·. Deep rose with darker center.	1.25	8 .0 0
Juliett	e. White, laced crimson	1.25	8.00
Lord I	Lyons. Deep rose.	1.25	8.00
White	Recerve. Pure white; perpetual flowering.	1.25	8.00
PLATY	COLON. (Balloon Flower)		
grand	iflorum. Blue bell-shaped flowers borne on		
	slender stems. 2 ft. June-October.	1.25	8.00
"	altum. A white variety of the above.	1.25	8.00

	Per Doz	–Per 100
PLUMBAGO		
Larpentae. (Leadwort) Forms compact tufts of in-		
numerable wiry stems, each one terminating in		
a dense truss of cobalt blue flowers. 1 ft.	4 50	40.00
August-October.	1.50	10.00
PYRETHRUM		
roseum. Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft. June.	1.25	8.00
RANUNCULUS		
acris fl. pl. This plant is too often confused with the		
following variety which is generally sold for it. Of late years it has become very scarce and we are pleased to be able to offer the true plant. The glistening yellow flowers are small and very double and are borne on strong, erect stems, from 2½ to 3 ft. in height, the whole inflorescence forming a loose pyramid. It is one of the real old-fashioned plants and is equally valuable for border decoration or for cutting.		
May-June.	1.25	8.00
repens fl. pl. Small, double, yellow flowers on branching stems. Valuable for cutting. 1-1½ ft. April-May.		8.00
RUDBECKIA		
Golden Glow. Double, deep yellow flowers. 6 ft. July-September.	1.25	8.00
SAGINA		
glabra. Emerald green cushions of moss-like growth covered in spring with myriads of small white flowers. 2 inches.		10.00
SALVIA		
azurea grandiflora. Tall straight stems covered for		
half their length with sky-like flowers. 4-5 ft. August-September.		8.00
SANTOLINA (Cotton Love-Jan)		
SANTOLINA (Cotton Lavender)		
incana. An aromatic, compact growing, half shrubby plant with silvery foliage.	1.25	8.00
plant with suvery tonage.	1.20	0.00

	Per Doz	–Per 100
SAPONARIA		
ocymoides. A good plant for carpeting in the herbac- eous border or for trailing down the slopes in the rock garden. Spangled with bright pink flowers in spring.	1.50	10.00
SCABIOSA		
 caucasica. One of the finest of hardy plants, bearing a succession of large, soft lilac flowers on long stems throughout summer. 2½ ft. " alba. A white variety of the above. 	$2.00 \\ 2.00$	12.00 12.00
SEDUM		
acre. A dwarf grower which quickly forms a thick carpet of vivid green, moss-like foliage and is hidden by yellow flowers in May.	1.50	10.00
aibum. Small succulent leaves which turn reddish bronze in fall. Trusses of white flowers in June and July. 6 in. An excellent edging		10.00
plant.	1.50	10.00
dasyphyllum. A minute species producing masses of short, delicate stems thickly covered with globular, blue gray leaves.	2.00	12.00
hispanicum. A minute plant forming spreading tufts of gray foliage becoming bronze in fall. 3 in.	1.50	10.00
kamtschaticum. Leafy prostrate stems which in July and August bear clusters of star-shaped, orange colored flowers.	1.50	10.00
lydium. Carpets of bright green foliage which turns reddish bronze during summer. 4 in.	1.50	10.00
obtusatum. A rare and attractive stone-crop. Small, round, fishy leaves, dull green in spring but which turn red in summer. Yellow flowers. 4		
in. June.	2.00	12.00
reflexum. Clusters of golden flowers. 9 in. June. July.	1.50	10.00
sarmentosum. Fleshy leaved, trailer with yellow flowers.	1.50	10.00
sexangulare. Dwarf trailer; green foliage and yellow flowers. 6 in. June-July.	1.50	10.00
stoloniferum. Large clusters of pink flowers on prostrate, trailing stems. 6 in. June-July.	1.50	10.00

	Per Doz	_Per 100
SEDUM (Continued)	2 01 202.	101 100
spectabile. Errect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and are rosy purple in color; they retain their beauty for two months. 1½ ft. August-		
September.	1.25	8.00
" Brilliant. A deeper colored variety than the preceding, being a vivid amaranth red.	1.50	10.00
SEMPERVIVUM (Houseleek)		
acuminatum. Rosettes of green, fleshy leaves tipped with bronze.	2.00	12.00
arachnoideum (Cobweb Houseleek) Rosettes of succulent, pale green leaves covered with silky hairs resembling a cobweb.		15.00
SILENE		
alpestris. A dainty little rock plant of compact tufted habit, bearing masses of small white flowers. 4 inches. May-June.		12.00
SPIRAEA		
Filipendula. (Dropwort) Loose clusters of creamy white flowers tipped with red, borne on slender stems rising from tufts of fern-like foliage. 2 ½ it. June.	•	8.00
Ulmaria. (Meadow Sweet) Loose heads of creamy white flowers on long straight stems. 2½ ft. June-July.	,	8.00
" fl. pl. A double flower form of the foregoing		0.00
and a much superior plant. Excellent for cutting.	1.25	8.00
STOKESIA		
cyanea. A showy plant with a lengthy flowering per- iod; large blue flowers on somewhat straggling	S	10.00
stems. 1½ ft. August-October.	1.50 1.50	10.00 10.00
	1.00	10.00
STATICE latifolia. (Sea Lavender) Branching flower stems		
bearing countless, small, blue-purple flowers	S	
which retain their color long after being cut and dried. Very good for cutting. 1½-2 ft		
August-September.	1.50	10.00

Holborn Glory. A choice mixture of all colors. Newport Pink. Scarlet Beauty. White. 1.25 8.00 White. 1.25 8.00 THALICTRUM andiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of Gypsophila paniculata before that is available. 2½ ft. June-July. aquilegifolium. Columbine-like foliage and feathery heads of creamy white flowers. 2½ ft. June-July. "purpureum. Pinkish purple flowers. 1.50 10.00 THYMUS lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers. Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July. "coccineus. A scarlet flowered variety. 1.50 10.00 TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. Mixed Hybrids. A choice mixture, varying from yellow to scarlet. TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. VALERIANA		Per Doz.	-Per 100
Newport Pink. Scarlet Beauty. White. 1.25 8.00 White. 1.25 8.00 White. 1.25 8.00 THALICTRUM andiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of Gypsophila paniculata before that is available. 2½ ft. June-July. aquilegifolium. Columbine-like foliage and feathery heads of creamy white flowers. 2½ ft. June-July. "purpureum. Pinkish purple flowers. 1.50 10.00 THYMUS lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers. Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July. "coccineus. A scarlet flowered variety. 1.50 10.00 TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. Mixed Hybrids. A choice mixture, varying from yellow to scarlet. TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. VALERIANA	SWEET WILLIAM		
Scarlet Beauty. White. 1.25 8.00 THALICTRUM andiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of Gypsophila paniculata before that is available. 2½ ft. June-July. aquilegifolium. Columbine-like foliage and feathery heads of creamy white flowers. 2½ ft. June-July. "purpureum. Pinkish purple flowers. 1.50 10.00 THYMUS lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers. Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July. "coccineus. A scarlet flowered variety. 1.50 10.00 TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. Mixed Hybrids. A choice mixture, varying from yellow to scarlet. TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. VALERIANA	Holborn Glory. A choice mixture of all colors.	1.25	8.00
White. 1.25 8.00 THALICTRUM andiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of Gypsophila paniculata before that is available. 2½ ft. June-July. 1.25 8.00 aquilegifolium. Columbine-like foliage and feathery heads of creamy white flowers. 2½ ft. June-July. 1.50 10.00 "purpureum. Pinkish purple flowers. 1.50 10.00 THYMUS lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers. 1.50 10.00 Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July. 1.50 10.00 TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. 2.50 15.00 Mixed Hybrids. A choice mixture, varying from yellow to scarlet. 1.50 10.00 TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA	Newport Pink.	1.25	8.00
THALICTRUM andiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of Gypsophila paniculata before that is available. 2½ ft. June-July. aquilegifolium. Columbine-like foliage and feathery heads of creamy white flowers. 2½ ft. June-July. "purpureum. Pinkish purple flowers. 1.50 10.00 THYMUS lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers. Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July. "coccineus. A scarlet flowered variety. 1.50 10.00 TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. Mixed Hybrids. A choice mixture, varying from yellow to scarlet. TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. VALERIANA	Scarlet Beauty.	1.25	8.00
andiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of Gypsophila paniculata before that is available. 2½ ft. June-July. aquilegifolium. Columbine-like foliage and feathery heads of creamy white flowers. 2½ ft. June-July. "purpureum. Pinkish purple flowers. 1.50 10.00 "purpureum. Pinkish purple flowers. 1.50 10.00 THYMUS lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers. 2.50 10.00 Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July. 1.50 10.00 TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. 2.50 15.00 Mixed Hybrids. A choice mixture, varying from yellow to scarlet. 1.50 10.00 TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA	White.	1.25	8.00
long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of Gypsophila paniculata before that is available. 2½ ft. June-July. 1.25 8.00 aquilegifolium. Columbine-like foliage and feathery heads of creamy white flowers. 2½ ft. June-July. 1.50 10.00 "purpureum. Pinkish purple flowers. 1.50 10.00 THYMUS Ianuginosus. Carpets of woolly leaves covered in June and July with pink flowers. 1.50 10.00 Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July. 1.50 10.00 TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. 2.50 15.00 Mixed Hybrids. A choice mixture, varying from yellow to scarlet. 1.50 10.00 TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA	THALICTRUM		
heads of creamy white flowers. 2½ ft. June-July. 1.50 10.00 "purpureum. Pinkish purple flowers. 1.50 10.00 THYMUS lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers. 1.50 10.00 Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July. 1.50 10.00 "coccineus. A scarlet flowered variety. 1.50 10.00 TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. 2.50 15.00 Mixed Hybrids. A choice mixture, varying from yellow to scarlet. 1.50 10.00 TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA	long spikes of loosely arranged, small yellow- ish-white flowers, good for cutting. They can be used in place of Gypsophila paniculata be-		8.00
" purpureum. Pinkish purple flowers. 1.50 10.00 THYMUS lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers. 1.50 10.00 Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July. 1.50 10.00 " coccineus. A scarlet flowered variety. 1.50 10.00 TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. 2.50 15.00 Mixed Hybrids. A choice mixture, varying from yellow to scarlet. 1.50 10.00 TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA	heads of creamy white flowers. 21/2 ft. June-	1 50	10.00
THYMUS lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers. Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July. "coccineus. A scarlet flowered variety. TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. Mixed Hybrids. A choice mixture, varying from yellow to scarlet. TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA	·		
lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers. Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July. "coccineus. A scarlet flowered variety. TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. Mixed Hybrids. A choice mixture, varying from yellow to scarlet. TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA	" purpureum. Pinkish purple flowers.	1.50	10.00
and July with pink flowers. Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July. "coccineus. A scarlet flowered variety. 1.50 10.00 TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. Mixed Hybrids. A choice mixture, varying from yellow to scarlet. TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA	THYMUS		
quickly growing into a dense carpet which becomes covered with white flowers in June and July. "coccineus. A scarlet flowered variety. TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. Mixed Hybrids. A choice mixture, varying from yellow to scarlet. TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA		1.50	10.00
" coccineus. A scarlet flowered variety. 1.50 10.00 TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. 2.50 15.00 Mixed Hybrids. A choice mixture, varying from yellow to scarlet. 1.50 10.00 TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA	quickly growing into a dense carpet which be- comes covered with white flowers in June and	1 50	10.00
TRITOMA (Torch Lily) Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. 2.50 15.00 Mixed Hybrids. A choice mixture, varying from yellow to scarlet. 1.50 10.00 TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA	· ·		
Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubu- lar flowers. 2-3 ft. September-October. 2.50 15.00 Mixed Hybrids. A choice mixture, varying from yellow to scarlet. 1.50 10.00 TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA	coccineus. A scarlet howered variety.	1.50	10.00
perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October. 2.50 15.00 Mixed Hybrids. A choice mixture, varying from yellow to scarlet. 1.50 10.00 TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA			
lar flowers. 2-3 ft. September-October. 2.50 15.00 Mixed Hybrids. A choice mixture, varying from yellow to scarlet. 1.50 10.00 TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA	perennial; tufts of grass-like foliage and thick		
low to scarlet. TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA		2.50	15.00
Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA		1.50	10.00
Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September. 1.50 10.00 VALERIANA	TUNICA		
· • • • • • • • • • • • • • • • • • • •	Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-Sep-	1.50	10.00
	VALERIANA		
officinalis. A strong growing and free flowering plant			
bearing large heads of faint pink flowers. 3-4 ft. June-July. 1.25 8.00	bearing large heads of faint pink flowers. 3-4	1.25	8.00

	Per Doz	—Per 100
ERONICA		
incana. Compact masses of silvery foliage and deep blue flowers. 1 ft. May-June.	1.50	10.00
repens. Carpets of evergreen foliage entirely covered in spring with very pale blue flowers.	l 1.50	10.00
rupestris. A prostrate trailer forming a thick green carpet which is almost hidden in May and June by myriads of clusters of deep blue flowers.		10.00
spicata. Spikes of blue flowers. 2 ft. June-August		10.00
" rosea. An uncommon pink variety of the foregoing.	1.50	10.00
subsessilis. Stout erect stems of intense blue flowers 2-3 ft. July-August.	2.00	12.00
TOLA		
Jersey Gem. One of the best hardy plants of recent introduction. It blooms freely and continuously from spring until frost, and the flowers, roya purple in color, are not affected by the sun	7 1 ;	
Its foliage is a rich, healthy green, and its habit of growth is neat and compact.	1.50	10.00
pedata. (Bird's Foot Violet) Tufts of finely divided leaves and lilac blue flowers. 6 in. April-May		10.00
UCCA		
filamentosa. (Adam's Needle) Large rosettes or	f	
sword-like leaves, and spikes of white flowers 6-8 ft. July. Two year plants.	1.50	10.00
HERBS		
Lavender	2.00	12.00
Mint	1.25	8.00
Rue	1.25	8.00
Sage	1.25	8.00
Savory	1.25	8.00
Thyme	1.25	8.00

Being frequently asked for selection of plants suitable for planting on rock gardens, we append the following list as being adapted for that purpose:

Achillea rupestris Achillea tomentosa Aethionema iberideum Ajuga genevensis Alyssum argentum Alyssum Fiontanum Alyssum saxatile compactum Anchusa 11yosotidiflora Androsace lanuginosa Anemone Pulsatilla Anemone Pulsatilla alba Arabis alvina Arenaria laricifolia Arenaria nontana Armeria n.aritima Laucheana Aster alpi ius Aster alpinus albus Aster sub ceruleus Aubrietia deltoidea Calaminth a alpina Campanul: carpatica Campanul: . carpatica alba Campanul:, carpatica pallida Campanul: Raddeana Cerastium tomentosum Dianthus alpinus Dianthus renarius Dianthus (aesius Dianthus celtoides Dianthus celtoides albus Dianthus deltoides Brilliant Dianthus neglectus Erinus altin**us** Erinus alrinus albus Geranium sanguineum Globularia tricosantha Gypsophila cerastioides Gypsophila repens Gypsophila repens monstrosa Helianthemum Fireball Helianthemum macranthum Helianthemum Mrs. Earle Helianthemum praecox Helianthemum rhodanthe carneum Herniaria glabra Hypericum olympicum

Iberis sempervirens

Inula ensifolia Iris cristata Iris pumila cyanea Îris pumila The Bride Lavandula vera Munstead Variety Leontopodium alpinum Lychnis alpina Lysimachia nummularia Mazus rugosus Nepeta Mussini Oenothera missouriensis Onosma stellulatum Papaver alpinum Papaver nudicaule Phlox amoena Phlox divaricata Phlox subulata alba Phlox subulata atrolilacina Phlox subulata G. F. Wilson Phlox subulata lilacina Phlox subulata rosea Plumbago Larpentae Sagina glabra Santolina incana Saponaria ocymoides Sedum acre Sedum album Sedum dasyphyllum Sedum hispanicum Sedum kamtschaticum Sedum lydium Sedum reflexum Sedum sarmentosum Sedum sexangulare Sedum stoloniferum Sempervivum acuminatum Sempervivum arachnoideum Silene alpestris Thymus lanuginosus Thymus Serpyllus albus Thymus Serpyllum coccineus Tunica Saxifraga Veronica incana Veronica repens Veronica rupestris Viola pedata

All plants in the following list are suitable for cutting. A careful selection will provide a supply of flowers from Spring until Fall.

Achillea Ptarmica The Pearl Achillea Ptarmica Boule de Niege Anthemis tinctoria Kelwayi Armeria Cephalotes Baptisia australis Campanula persicifolia Campanula persicifolia alba Chrysanthemum maximum Coreopsis grandiflora Delphinium Belladonna Delphinium Bellamosum Eupatorium coelestinum Euphorbia corallata Gallardia grandiflora Gypsophila paniculata Heliopsis Pitcheriana Inula glandulosa

Liatris pycnostachya Pentstemon barbatus Torrevi Phlox Miss Lingard Pink Excelsion Pink Her Majesty Pink Homer Pink Juliette Pink Lord Lvon Pink White Reserve Pvrethrum roseum Ranunculus acris fl. pl. Scabiosa caucasica Scabiosa caucasica alba Statice latifolia Thalictrum adiantifolium Tritoma Pfitzeri Spiraea Ulmaria fl. pl.

Prices and descriptions of the plants in the preceding lists will be found in the body of the catalogue.



Hammonton Printing Company





